



[cancer.org](https://www.cancer.org) | 1.800.227.2345

After Bladder Cancer Treatment

Living as a Cancer Survivor

For many people, cancer treatment often raises questions about next steps as a survivor.

- [Living as a Bladder Cancer Survivor](#)

Cancer Concerns After Treatment

Treatment may remove or destroy the cancer, but it's very common to have concerns about developing a second cancer after treatment.

- [Second Cancers After Bladder Cancer](#)

Living as a Bladder Cancer Survivor

For some people with bladder cancer, treatment can remove or destroy the cancer. The end of treatment can be both stressful and exciting. You may be relieved to finish treatment, but find it hard not to worry about cancer coming back. This is very common if you've had cancer.

For other people, bladder cancer might never go away completely or might come back in another part of the body. Some people may get regular treatment with chemotherapy, immunotherapy, or other treatments to try to keep the cancer in check. Learning to live

with cancer that doesn't go away can be difficult and very stressful.

Life after bladder cancer means returning to some familiar things and also making some new choices.

Follow-up care

After treatment, your doctors will still want to watch you closely. People who've had bladder cancer have a high risk of developing a second bladder cancer, so it's very important to go to all of your follow-up appointments. During these visits, your doctors will ask questions about any problems you're having and will do exams, lab tests, and imaging tests to look for signs of cancer and/or treatment side effects.

Some treatment side effects might last a long time. Some might not even show up until years after you've finished treatment. These visits are a good time to ask questions. And be sure to tell your doctor about any changes or problems you notice or concerns you have.

Doctor visits and tests

Your schedule of exams and tests will depend on the [stage](#)¹ and grade of the cancer, what treatments you've had, and other factors. Be sure to follow your doctor's advice about follow-up tests.

Most experts recommend repeat exams every 3 to 6 months for people who have no signs of cancer after treatment. These are done to see if the cancer is growing back or if there's a new cancer in the bladder or urinary system. Your follow-up plan might include urine tests, physical exams, [imaging tests](#)² (like x-rays, MRI, or CT scans), and blood tests. These doctor visits and tests will be done less often as time goes by and no new cancers are found.

- If your bladder hasn't been removed, regular [cystoscopy](#)³ exams will also be done every 3 months for at least the first 2 years.
- If you have a urinary diversion, you will be checked for signs of infection and changes in the health of your kidneys. Urine tests, blood tests, and x-rays might be used to do this. Your vitamin B12 will be checked at least once a year because urinary diversions made with your intestine can affect B12 absorption. Your doctor will also talk to you about how well you're able to control your urine. Tests will be done to look for signs of cancer in other parts of your urinary tract, too.

Some doctors recommend other lab tests as well, such as the urine tumor marker tests discussed in [Can Bladder Cancer Be Found Early?](#)⁴ Many of these tests can be used to help see if the cancer has come back, but so far none of these can take the place of cystoscopy.

Ask your doctor for a survivorship care plan

Talk with your doctor about developing a [survivorship care plan](#)⁵ for you. This plan might include:

- A suggested schedule for follow-up [exams and tests](#)⁶
- A schedule for other tests you might need in the future, such as [early detection \(screening\) tests](#)⁷ for other types of cancer, or tests to look for long-term health effects from your cancer or its treatment
- A list of possible late- or long-term [side effects](#)⁸ from your treatment, including what to watch for and when you should contact your doctor
- Diet and physical activity suggestions
- Reminders to keep your appointments with your primary care provider (PCP), who will monitor your general health care.

Keeping health insurance and copies of your medical records

Even after treatment, it's very important to keep [health insurance](#)⁹. Tests and doctor visits cost a lot, and even though no one wants to think of their cancer coming back, this could happen.

At some point after your cancer treatment, you might find yourself seeing a new doctor who doesn't know about your medical history. It's important to keep copies of your medical records to give your new doctor the details of your diagnosis and treatment. Learn more in [Keeping Copies of Important Medical Records](#)¹⁰.

Can I lower my risk of the bladder cancer progressing or coming back?

If you have (or have had) bladder cancer, you probably want to know if there are things you can do that might lower your risk of the cancer growing or coming back, such as exercising, eating a certain type of diet, or taking nutritional supplements. Unfortunately, it's not yet clear if there are things you can do that will help.

Adopting healthy behaviors such as [not smoking](#)¹¹, [eating well](#)¹², [getting regular physical activity](#)¹³, and [staying at a healthy weight](#)¹⁴ might help, but no one knows for sure. Still, we do know that these types of changes can have positive effects on your health that can extend beyond your risk of bladder cancer or other cancers.

About dietary supplements

So far, no [dietary supplements](#)¹⁵ (including vitamins, minerals, and herbal products) have been shown to clearly help lower the risk of bladder cancer progressing or coming back. This doesn't mean that no supplements will help, but it's important to know that none have been proven to do so.

Dietary supplements are not regulated like medicines in the United States – they don't have to be proven effective (or even safe) before being sold, although there are limits on what they're allowed to claim they can do. If you're thinking about taking any type of nutritional supplement, talk to your health care team. They can help you decide which ones you can use safely while avoiding those that might be harmful.

If the cancer comes back

If the cancer does recur at some point, your treatment options will depend on where the cancer is located, what treatments you've had before, and your health. For more information on how recurrent bladder cancer is treated, see [Treatment of Bladder Cancer, by Stage](#).¹⁶

For more general information on recurrence, you may also want to see [Understanding Recurrence](#).¹⁷

Could I get a second cancer after bladder cancer treatment?

People who've had bladder cancer can still get other cancers. In fact, bladder cancer survivors are at higher risk for getting some other types of cancer. Learn more in [Second Cancers After Bladder Cancer](#).

Moving on after bladder cancer

For patients with a urostomy

If you had a radical cystectomy and now have a urostomy, you might worry even about everyday activities at first. You might have to alter some of your daily (and nightly)

routines because of changes in how you urinate. Other issues such as having sex might also cause concerns (see below).

It's normal to have worries and concerns when adjusting to such a major change. But it's important to know there are health care professionals who are specially trained to help people with their urostomies. They can teach you to take care of your urostomy and help you cope with the changes it brings. You can also ask the American Cancer Society about programs offering information and support in your area. For more information, see our [Urostomy Guide](#)¹⁸.

Emotional support

Some amount of feeling depressed, anxious, or worried is normal when bladder cancer is a part of your life. Some people are affected more than others. But everyone can benefit from [help and support](#)¹⁹ from other people, whether friends and family, religious groups, support groups, professional counselors, or others. Learn more in [Life After Cancer](#)²⁰.

Sexuality and feeling good about your body

Bladder cancer treatment can often affect your sex life. (See [Bladder Cancer Surgery](#)²¹ for more on this.) Learning to be comfortable with your body during and after bladder cancer treatment is a personal journey, one that's different for everyone. Information and support can help you cope with these changes over time. Learn more in [Fertility and Sexual Side Effects in People with Cancer](#)²².

Hyperlinks

1. www.cancer.org/cancer/bladder-cancer/detection-diagnosis-staging/staging.html
2. www.cancer.org/treatment/understanding-your-diagnosis/tests/imaging-radiology-tests-for-cancer.html
3. www.cancer.org/treatment/understanding-your-diagnosis/tests/endoscopy/cystoscopy.html
4. www.cancer.org/cancer/bladder-cancer/detection-diagnosis-staging/detection.html
5. www.cancer.org/treatment/survivorship-during-and-after-treatment/survivorship-care-plans.html
6. www.cancer.org/treatment/understanding-your-diagnosis/tests.html
7. www.cancer.org/healthy/find-cancer-early/cancer-screening-guidelines/american-cancer-society-guidelines-for-the-early-detection-of-cancer.html
8. www.cancer.org/treatment/treatments-and-side-effects/physical-side-effects.html

9. www.cancer.org/treatment/finding-and-paying-for-treatment/understanding-health-insurance.html
10. www.cancer.org/treatment/survivorship-during-and-after-treatment/be-healthy-after-treatment/keeping-copies-of-important-medical-records.html
11. www.cancer.org/healthy/stay-away-from-tobacco.html
12. www.cancer.org/healthy/eat-healthy-get-active/eat-healthy.html
13. www.cancer.org/healthy/eat-healthy-get-active/get-active.html
14. www.cancer.org/healthy/eat-healthy-get-active/take-control-your-weight.html
15. www.cancer.org/treatment/treatments-and-side-effects/complementary-and-alternative-medicine/dietary-supplements.html
16. www.cancer.org/cancer/bladder-cancer/treating/by-stage.html
17. www.cancer.org/treatment/survivorship-during-and-after-treatment/understanding-recurrence.html
18. www.cancer.org/treatment/treatments-and-side-effects/physical-side-effects/ostomies/urostomy.html
19. www.cancer.org/treatment/support-programs-and-services.html
20. www.cancer.org/treatment/survivorship-during-and-after-treatment/be-healthy-after-treatment/life-after-cancer.html
21. www.cancer.org/cancer/bladder-cancer/treating/surgery.html
22. www.cancer.org/treatment/treatments-and-side-effects/physical-side-effects/fertility-and-sexual-side-effects.html

References

American Society of Clinical Oncology. Bladder Cancer: Follow-Up Care. 10/2017. Accessed at www.cancer.net/cancer-types/bladder-cancer/follow-care on January 25, 2019.

DeGeorge KC, Holt HR, Hodges SC. Bladder Cancer: Diagnosis and Treatment. *Am Fam Physician*. 2017;96(8):507-514.

Narayan VM, Adejoro O, Schwartz I, et al. The Prevalence and Impact of Urinary Marker Testing in Patients with Bladder Cancer. *J Urol*. 2018;199(1):74-80.

National Comprehensive Cancer Network, Clinical Practice Guidelines in Oncology (NCCN Guidelines®), Bladder Cancer, Version 5.2018 -- July 3, 2018. Accessed at www.nccn.org/professionals/physician_gls/pdf/bladder.pdf on January 25, 2019.

See all references for Bladder Cancer (www.cancer.org/cancer/bladder-cancer/references.html)

Last Medical Review: January 30, 2019 Last Revised: January 30, 2019

Second Cancers After Bladder Cancer

Cancer survivors can be affected by a number of health problems, but often a major concern is facing cancer again. If a cancer comes back after treatment it's called a *recurrence*. But some cancer survivors may develop a new, unrelated cancer later. This is called a *second cancer*.

Being treated for bladder cancer doesn't mean you can't get another cancer. Survivors of bladder cancer can get any type of second cancer, but they have an increased risk these cancers compared to the general population:

- A second bladder cancer (This is different from the first cancer coming back.)
- Cancer of the renal pelvis/ureter (the ureter is the tube connecting the kidney to the bladder; the part of the kidney where it attaches is called the renal pelvis)
- [Cancer of the pancreas](#)¹
- [Cancer of the larynx](#)² (voice box)
- [Esophageal cancer](#)³
- [Lung cancer](#)⁴ (most common, accounts for about 1 out of 4 second cancers in bladder cancer survivors)
- [Vaginal cancer](#)⁵
- [Prostate cancer](#)⁶
- [Kidney cancer](#)⁷
- [Rectal cancer](#)⁸
- [Skin cancer](#)⁹ (excluding basal and squamous cell skin cancers)
- [Acute myeloid leukemia \(AML\)](#)¹⁰

Many of these cancers have been clearly linked to smoking, which is also a major risk factor for bladder cancer. Talk to your doctor if you need help to [quit smoking](#).¹¹

Follow-up after bladder cancer treatment

After completing treatment for bladder cancer, you should see your doctor regularly. Let them know about any new symptoms or problems, because they could be caused by the cancer coming back, a new disease, or a second cancer.

Bladder cancer survivors should also follow the [American Cancer Society guidelines for the early detection of cancer](#)¹², such as those for colorectal and lung cancer. Most experts don't recommend any other testing to look for second cancers unless you have symptoms. Again, this means it's important to tell your doctors about any changes you notice.

Can I lower my risk of getting a second cancer?

There are steps you can take to lower your risk and stay as healthy as possible. One of the most important you can do is quit using any form of tobacco and stay away from tobacco smoke. Smoking increases the risk of a lot of the second cancers seen after bladder cancer, as well as many other cancers.

To help [maintain good health](#)¹³, bladder cancer survivors should also:

- Get to and stay at a healthy weight
- Stay physically active
- Eat a healthy diet, with an emphasis on plant foods
- Limit alcohol to no more than 1 drink per day for women or 2 per day for men

These steps may also help lower the risk of other health problems.

See [Second Cancers in Adults](#)¹⁴ for more information about causes of second cancers.

Hyperlinks

1. www.cancer.org/cancer/pancreatic-cancer.html
2. www.cancer.org/cancer/laryngeal-and-hypopharyngeal-cancer.html
3. www.cancer.org/cancer/esophagus-cancer.html
4. www.cancer.org/cancer/lung-cancer.html
5. www.cancer.org/cancer/vaginal-cancer.html
6. www.cancer.org/cancer/prostate-cancer.html
7. www.cancer.org/cancer/kidney-cancer.html
8. www.cancer.org/cancer/colon-rectal-cancer.html
9. www.cancer.org/cancer/skin-cancer.html

10. www.cancer.org/cancer/acute-myeloid-leukemia.html
11. www.cancer.org/healthy/stay-away-from-tobacco/guide-quitting-smoking.html
12. www.cancer.org/healthy/find-cancer-early/cancer-screening-guidelines/american-cancer-society-guidelines-for-the-early-detection-of-cancer.html
13. www.cancer.org/healthy/eat-healthy-get-active.html
14. www.cancer.org/treatment/treatments-and-side-effects/physical-side-effects/second-cancers-in-adults.html

References

Adjei Boakye E, Buchanan P, Hinyard L, et al. Int Trends in the risk and burden of second primary malignancy among survivors of smoking-related cancers in the United States. *J Cancer*. 2019 Jan 6.

Donin N, Filson C, Drakaki A, et al. Risk of second primary malignancies among cancer survivors in the United States, 1992 through 2008. *Cancer*. 2016;122(19):3075-3086.

Khanal A, Budhathoki N, Singh VP, Shah BK. Second Primary Malignancy in Bladder Carcinoma - A Population-based Study. *Anticancer Res*. 2017;37(4):2033-2036.

See all references for Bladder Cancer (www.cancer.org/cancer/bladder-cancer/references.html)

Last Medical Review: January 30, 2019 Last Revised: January 30, 2019

Written by

The American Cancer Society medical and editorial content team
(www.cancer.org/cancer/acs-medical-content-and-news-staff.html)

Our team is made up of doctors and oncology certified nurses with deep knowledge of cancer care as well as journalists, editors, and translators with extensive experience in medical writing.

American Cancer Society medical information is copyrighted material. For reprint requests, please see our Content Usage Policy (www.cancer.org/about-us/policies/content-usage.html).

cancer.org | 1.800.227.2345